STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINING AMENDED REPORT															
APPLICATION FOR PERMIT TO DRILL									1. WELL NAME and NUMBER GMBU T-14-9-17						
2. TYPE OF WORK DRILL NEW WELL REENTER P&A WELL DEEPEN WELL								3. FIELD OR WILDCAT EIGHT MILE FLAT							
4. TYPE OF WELL Oil Well Coalbed Methane Well: NO								5. UNIT or COMMUNITIZATION AGREEMENT NAME GMBU (GRRV)							
6. NAME OF OPERATOR NEWFIELD PRODUCTION COMPANY									7. OPERATOR PHONE 435 646-4825						
8. ADDRESS OF OPERATOR Rt 3 Box 3630 , Myton, UT, 84052									9. OPERATOR E-MAIL mcrozier@newfield.com						
	AL LEASE NUM		Kt 3 B0x 3030		1. MINERAL OWNERSHIP				12. SURFACE OWNERSHIP						
(FEDERAL	, INDIAN, OR S	TATE) UTU-39713			FEDERAL INDIAN STATE FEE				FEDERAL INDIAN STATE FEE						
13. NAME	OF SURFACE (OWNER (if box 12 =	= 'fee')				14. SURFACE OWNER PHONE (if box 12 = 'fee')								
15. ADDRI	ESS OF SURFA	CE OWNER (if box	12 = 'fee')				16. SURFACE OWNER E				R E-MAIL	-MAIL (if box 12 = 'fee')			
	ALLOTTEE OF	R TRIBE NAME			18. INTEND TO COMMINGLE PRODUCTION FROM MULTIPLE FORMATIONS				19. SLANT						
(If box 12	= 'INDIAN')			- 1	YES (Submit Commingling Application) NO)	VERTICAL DIRECTIONAL HORIZONTAL					
20. LOCA	TION OF WELL			FOOT	OTAGES C		R-QTR	SECTION		TOWNSHIP	RANGE		MERIDIAN		
LOCATIO	N AT SURFACE		212	0 FSL	SL 837 FWL		wsw	13		9.0 S	17.0 E		s		
Top of Uppermost Producing Zone 1628 FS				8 FSL	SL 334 FWL		wsw	13		9.0 S	17.0 E		S		
At Total Depth 1072 FS				2 FSL	L 273 FEL S		SESE	SESE 14		9.0 S 1		7.0 E S		S	
21. COUN	TY	UINTAH		22	22. DISTANCE TO NEAREST LEASE LINE (Feet) 273				23. NUMBER OF ACRES IN DRILLING UNIT						
				25. DISTANCE TO NEAREST WELL IN SAME POOL Applied For Drilling or Completed) 623				26. PROPOSED DEPTH MD: 5942 TVD: 5700							
27. ELEVATION - GROUND LEVEL				28	28. BOND NUMBER					29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE					
5148					WYB000493					437478					
Otalia a	Hala Cias	Ozaina Ciza	Lamath	\A/ - !!	Hole, Casing,					0		Castra	Viala	Mainba	
String	Hole Size	Casing Size 8.625	0 - 300	Weig				ax Mud Wt. 8.3		Cement Class G		Sacks 138	Yield 1.17	Weight 15.8	
PROD	7.875	5.5	0 - 5942	15.5			8.3			mium Lite High Strength		272	3.26	11.0	
										50/50 Poz		363	1.24	14.3	
					A	TTACH	IMENTS								
VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERVATION GENERAL RULES															
W W	WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER						COMPLETE DRILLING PLAN								
AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE)						FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER									
DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY DRILLED))	TOPOGRAPHICAL MAP									
NAME Heather Calder				7	TITLE Production Technician					PHONE 435 646-4936					
SIGNATURE				1	DATE 10/16/2014				EMAIL hcalder@newfield.com						
API NUMBER ASSIGNED 43047548560000				,	APPROVAL Permit Manager										

T9S, R17E, S.L.B.&M. S89°08'08"W - 5287.65' (Meas.) 1910 Brass Cap Brass Cap Corner Position Proportioned Using 1910 Single Proportion Brass Cap Method (Not Set) N01°01'05"W 2646.08" (Meas. 837 Top of Hole 375.73', WELL LOCATION: Center of T-14-9-17 Pattern ELEV. EXIST. GRADED GROUND = 5148 Bottom of Hole 1910 1910 G.L.O. Brass Cap Brass Cap S89°03'02"W - 2639.18' (Meas.) S89°03'29"W - 2641.43' (Meas.) 1910 Brass Cap SECTION CORNERS LOCATED NAD 83 (SURFACE LOCATION) BASIS OF ELEV; Elevations are based on LATITUDE = 40°01'46.14" LONGITUDE = 109°57'41.17" an N.G.S. OPUS Correction. LOCATION: LAT. 40°04'09.56" LONG. 110°00'43.28" NAD 27 (SURFACE LOCATION) LATITUDE = $40^{\circ}01'46.27''$ LONGITUDE = $109^{\circ}57'38.64''$ (Tristate Aluminum Cap) Elev. 5281.57'


NEWFIELD EXPLORATION COMPANY

WELL LOCATION, T-14-9-17, LOCATED AS SHOWN IN THE NW 1/4 SW 1/4 OF SECTION 13, T9S, R17E, S.L.B.&M. UINTAH COUNTY, UTAH.



NOTES:

- 1. Well footages are measured at right angles to the Section Lines.
- 2. Bearings are based on Global Positioning Satellite observations.



TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. – VERNAL, UTAH 84078 (435) 781–2501

DATE SURVEYED: 11-13-13	SURVEYED BY: S.H.	VERSION:		
DATE DRAWN: 12-04-13	DRAWN BY: V.H.	\ /1		
REVISED:	SCALE: 1" = 1000'	V		

T9S, R17E, S.L.B.&M. S88°59'51"W - 2644.84' (Meas.) S89°04'22"W - 2644.94' (Meas.) 1910 1910 1910 Brass Cap Brass Cap Brass Cap (Meas. 68, 2644. Z' ,28, .04 Corner Position Corner Position Proportioned Using Proportioned Using Single Proportion Single Proportion Method (Not Set) Method (Not Set) TARGET BOTTOM HOLE: (Meas. T-14-9-17 68, Center of CountyPattern 44 26. 375.73 Duchesne 273 $\mathbb{Z}_{\mathbb{Z}}$ M. 50, .04,58 **Bottom** of Hole NO1°01 0 101 1910 1910 Brass Cap Brass Cap S89°02'54"W — 2640.04' (Meas.) S89°04'58"W - 2643.76' (Meas.) 1910 Brass Cap SECTION CORNERS LOCATED NAD 83 (BOTTOM HOLE LOCATION) NAD 83 (CENTER OF PATTERN) BASIS OF ELEV; Elevations are based on LATITUDE = 40°01'38.34' LONGITUDE = 109°57'51.92' LATITUDE = $40^{\circ}01'35.79'$ an N.G.S. OPUS Correction. LOCATION: LONGITUDE = 109°57'55.43" LAT. 40°04'09.56" LONG. 110°00'43.28" NAD 27 (CENTER OF PATTERN) NAD 27 (BOTTOM HOLE LOCATION) LATITUDE = $40^{\circ}01'38.47''$ LONGITUDE = $109^{\circ}57'49.39''$ LATITUDE = $40^{\circ}01'35.92''$ LONGITUDE = $109^{\circ}57'52.90'$ (Tristate Aluminum Cap) Elev. 5281.57'

NEWFIELD EXPLORATION COMPANY

TARGET BOTTOM HOLE, T-14-9-17, LOCATED AS SHOWN IN THE SE 1/4 SE 1/4 OF SECTION 14, T9S, R17E, S.L.B.&M. UINTAH COUNTY, UTAH.



NOTES:

- 1. Well footages are measured at right angles to the Section Lines.
- 2. Bearings are based on Global Positioning Satellite observations.
- 3. The Center of Pattern footages are 1330' FSL & 0' FEL.

Top of Hole

THIS IS TO CERTIFY THAT THE ABOVE PLOT WAS PREPARED FROM FIELD FOOTE OF ACTUME SURVEYS MADE BY ME OR UNDER MY SUPPROBLEM THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE MY BEING. 189377 12-04-13

TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 (435) 781-2501

DATE SURVEYED: 11-13-13	SURVEYED BY: S.H.	VERSION:		
DATE DRAWN: 12-04-13	DRAWN BY: V.H.	\ /1		
REVISED:	SCALE: 1" = 1000'	V I		